



COMPRESSOR AND CONDENSING UNITS

**2 5/8" BORE HERMETIC SINGLE STAGE*
REFRIGERANTS -12, -22 AND -502**

*NEW STYLE UNITS ONLY WITH INDICATING LIGHTS AND THREE PRESSURE GAUGES ON CONTROL BOX AS SHOWN BELOW.



NOMENCLATURE




TABLE 1— REPLACEMENT COMPRESSORS*

Compressor Model Number	Part Number					
	208-3-60	220/240-3-60	440/480-3-60	550/600-3-60	220-3-50	380/400-3-50
H32SL	365-22695	365-22400	365-22401	365-22402	365-22696	365-23180
H32SM	365-22697	365-22403	365-22404	365-22405	365-22698	365-23181
H51SN	365-22699	365-22406	365-22407	365-22408	365-22700	365-23182
H61SN	365-22701	365-22409	365-22410	365-22411	365-22702	365-23183
H61SP	365-22703	365-22412	365-22413	365-22414	365-22704	365-23184
H62SN	365-22705	365-22415	365-22416	365-22417	365-22706	365-23185
H62SP	365-22707	365-22418	365-22419	365-22420	365-22708	365-23186
H62SQ	365-22709	365-22421	365-22422	365-22423	365-22710	365-23187
H92SP	365-22713	365-22427	365-22428	365-22429	365-22714	365-23189
H92SQ	365-22711	365-22424	365-22425	365-22426	365-22712	365-23188
H92SR	365-22715	365-22430	365-22431	365-22432	365-22716	365-23190
H92SS	365-22717	365-22433	365-22434	365-22435	365-22718	365-23191

* Compressors are bare, with discharge manifold, stop valves, oil charge and crankcase heater, less base. Compressor part numbers shown are for compressors with suction pressure actuated capacity control. For temperature activated capacity control order compressor listed above and use power assembly from original compressor or order new power assembly (Part No. 025-09981)

For all Compressor Parts refer to Renewal Parts Form 180.15-RP1.

TABLE 2— CONDENSER PARTS

Part Description	Condenser Size					
	09	16	19	25	29	45
Condenser (Less Purge & Relief Valves)	367-87499	367-87494	367-87477	367-87419	367-87172	367-87508
Purge Valve	022-01582	022-01582	022-01582	022-01582	022-01582	022-01582
Relief Valve	022-03056	022-03056	022-03056	022-03056	022-03056	022-03056
Tube No. Req'd.	007-02564 18	007-02564 31	007-02564 37	007-02564 48	007-02564 57	007-02564 87
Gasket, Head (2 — Req'd.)	067-40175	067-40175	067-40175	067-40175	067-40176	067-40177

TABLE 3— MISCELLANEOUS PARTS

Part Description	Compressor Unit			Condensing Unit		
	3 Cyl.	6 Cyl.	9 Cyl.	3 Cyl.	6 Cyl.	9 Cyl.
Discharge Muffler	029-13495	029-13496	029-13497	—	—	—
Isolators (Rubber-in-Shear) Set of 4	367-25592	367-25592	367-25593	367-25592	367-25593	367-25594
Terminal Box ¹	065-22160	065-22160	065-22160	065-22160	065-22160	065-22160
Cover, Terminal Box ¹	065-22358	065-22358	065-22358	065-22358	065-22358	065-22358
Screw, Terminal Box Cover ¹ (4-Req'd.)	021-09779	021-09779	021-09779	021-09779	021-09779	021-09779

¹ For illustration see figure on front page.

YORK DIVISION BORG-WARNER
2-5/8" BORE SINGLE STAGE COMPRESSOR AND
CONDENSING UNITS FORM 180.11-RP




TABLE 4—CONTROL PANEL

Item No.	Description	York Part No.
1	Fuse Holder	025-13991
2	Fuse	025-15759
3	Indicator Lights	025-13551
4	Switch (Stop-Off-Auto)	024-13272
5	Knob, Switch	365-22494
6	Oil Pressure Cut-Out (OP)	025-14530
7	Discharge Pressure Gauge	026-14294
8	Suction Pressure Gauge	026-14295
9	Oil Pressure Gauge	026-14296
10	Gauge Valves	022-02994
11	Low Pressure Cut-Out (LP)	025-14517
12	High Pressure Cut-Out (HP)	025-14518
13	Time Delay Relay-2TR (If Used)	024-13577
14	Terminal Strip	025-14542
15	Relay (1R)	024-11784
16	Relay (3R)	024-11784
17	Starting Program Timer (1TR)	025-14531
18	Relay (2R)	024-11784
	Lock and Key	029-07382
	Key Only	029-10876
	Control Transformer (If Used)	
	208-3-60	025-14108
	220/240-3-60	025-14108
	440/480-3-60	025-14108
	550/600-3-60	025-15532
	220-3-50	025-14108
	308/440-3-50	025-14108
	Compound, Head Conductive	
	1 Oz. Tube	013-01850
	4 Oz. Can	013-00898

NOTE: For replacement starter contactors order from York by description, being sure to list original York Sales Order Number.

York Division of Borg-Warner Corp., P.O. Box 1592, York, Pa. 17405
SUBJECT TO CHANGE WITHOUT NOTICE
PRINTED IN U.S.A.
TP 500 1183 .16
Form 180.11-RP

Code: SN & RN - Int.

YORK
Maintenance & Energy Services

